*Reply of Government.*—This is not possible. With the existing allowances, proper arrangements should be made for the conduct of pooja, &c.

**Subject No. 347**
**Restoration of alienated Inam lands belonging to Srinivasadevaru and Kesavadevaru temples at Sampige.**

*Summary of discussion.*—The lands granted as inam to Sampige Srinivasadevaru and Kesavadevaru are now in the possession and enjoyment of others—people not interested in those temples. The said inam lands may be restored the temples and arrangements also made for properly securing the temple jewels.

*Reply of Government.*—To the Muzrai Department for enquiry and disposal.

**Subject No. 348**
**Construction of a new drain for Kadaba and other sanitary improvements.**

*Summary of discussion.*—A grant of Rs. 5,000 may be made by Government to the Municipality of Kadaba for sanitary improvements and a scheme for the drainage of the village prepared by the Sanitary Engineer.

*Reply of Government.*—Noted.

**Subject No. 349**
**Transfer of chattram at Gubbi to Kadaba.**

*Summary of discussion.*—Kadaba is on the road between Bellary and Mysore and is badly in need of a chattram. The one at Gubbi may advantageously be transferred accordingly.

*Reply of Government.*—This is under consideration in the Muzrai Department which will expedite its disposal.

**Subject No. 350**
**Appointment of channel manegars for Kadaba tank.**

*Summary of discussion.*—The Deputy Commissioner and the Executive Engineer are both of opinion that a channel manegar is required for the Kadaba tank, but no action has yet been taken in the matter.

*Reply of Government.*—Referred to the Deputy Commissioner for disposal. Special arrangements for supervising the distribution of water are understood to have been made.

**Subject No. 351**
**A dispensary for Kadaba.**

*Summary of discussion.*—The early opening of a dispensary at Kadaba may be sanctioned.

*Reply of Government.*—Kadaba must wait till other and more pressing demands are satisfied.

**Subject No. 352**
**Removal of salt pans from the beds of tanks.**

*Summary of discussion*—Salt pans should not be permitted to be worked in the beds of tanks.

*Reply of Government.*—The Deputy Commissioner will enquire into specific instances which may be brought to his notice.